

## Ni-MH Battery List

Size	Model No	Nominal Voltage (V)	Nominal Capacity (mAh)	Dimension with tube	
				Diameter (mm)	Height (mm)
AAAA	H-AAAA350	1.2	350	8.5	40.5
AAA	H-2/3AAA300	1.2	300	10.5	29.0
	H-2/3AAA350	1.2	350	10.5	29.0
	H-AAA300A	1.2	300	10.5	44.5
	H-AAA400A	1.2	400	10.5	44.5
	H-AAA500A/B	1.2	500	10.5	44.5
	H-AAA550A/B	1.2	550	10.5	44.5
	H-AAA600A/B	1.2	600	10.5	44.5
	H-AAA650A/B	1.2	650	10.5	44.5
	H-AAA700A/B	1.2	700	10.5	44.5
	H-AAA750A/B	1.2	750	10.5	44.5
	H-AAA800A	1.2	800	10.5	44.5
	H-AAA850A/B	1.2	850	10.5	44.5
	H-AAA900A	1.2	900	10.5	44.5
	H-AAA950A	1.2	950	10.5	44.5
	H-AAA1000A	1.2	950	10.5	44.5
H-5/4AAA800	1.2	800	10.5	50.5	
BBB	H-1/3BBB120B	1.2	120	11.0	15.5
	H-1/3BBB150B	1.2	150	11.0	15.5
	H-1/3BBB180B	1.2	200	11.0	15.5
	H-1/3BBB200B	1.2	200	11.0	15.5
AA	H-AA300A	1.2	300	14.5	50.5
	H-AA400A	1.2	400	14.5	50.5
	H-AA500A	1.2	500	14.5	50.5
	H-AA600A/B	1.2	600	14.5	50.5
	H-AA700A/B	1.2	700	14.5	50.5
	H-AA800A/B	1.2	800	14.5	50.5
	H-AA900A/B	1.2	900	14.5	50.5
	H-AA1000A/B	1.2	1000	14.5	50.5
	H-AA1100A/B	1.2	1100	14.5	50.5
	H-AA1200A/B	1.2	1200	14.5	50.5
	H-AA1300A/B	1.2	1300	14.5	49.0
	H-AA1400A/B	1.2	1400	14.5	50.5
	H-AA1500A/B	1.2	1500	14.5	50.5
	H-AA1600A/B	1.2	1600	14.5	50.5
	H-AA1700A/B	1.2	1700	14.5	50.5
H-AA1800AB	1.2	1800	14.5	50.5	
H-AA1900A	1.2	1900	14.5	50.5	

Size	Model No	Nominal Voltage (V)	Nominal Capacity (mAh)	Dimension with tube	
				Diameter (mm)	Height (mm)
AA	H-AA2000A	1.2	2000	14.5	50.5
	H-AA2100A/B	1.2	2100	14.5	50.5
	H-AA2200A/B	1.2	2200	14.5	50.5
	H-AA2300A	1.2	2300	14.5	50.5
	H-AA2400A	1.2	2400	14.5	50.5
	H-AA2500A	1.2	2500	14.5	50.5
	H-AA2700A	1.2	2700	14.5	50.5
	H-2/3AA600	1.2	600	14.5	29.0
	H-2/3AA700	1.2	700	14.5	29.0
	H-4/5AA1200	1.2	1200	14.5	43.0
	H-7/5AA1800	1.2	1800	14.5	67.0
A	H-2/3A1100P	1.2	1100	17.0	28.0
	H-4/5A1800	1.2	1800	17.0	43.0
	H-A2100	1.2	2100	17.0	50.0
	H-A2300	1.2	2300	17.0	50.0
	H-4/3A3600	1.2	3600	17	67
C	H-C1500A	1.2	1500	25.8	51.0
	H-C2500A	1.2	2500	25.8	51.0
	H-C2700A	1.2	2700	25.8	51.0
	H-C3000A	1.2	3000	25.8	51.0
	H-C3300A	1.2	3300	25.8	51.0
	H-C3700A	1.2	3700	25.8	51.0
	H-C4000A	1.2	4000	25.8	51.0
	H-C4500A/B	1.2	4500	25.8	51.0
D	H-D1500A	1.2	1500	33.0	61.8
	H-D2500A	1.2	2500	33.0	61.8
	H-D3300A	1.2	3300	33.0	61.8
	H-D3700A	1.2	3700	33.0	61.8
	H-D4000A	1.2	4000	33.0	61.8
	H-D4500A	1.2	4500	33.0	61.8
	H-D2700A	1.2	2700	33.0	61.8
	H-D3000A/B	1.2	3000	33.0	61.8
	H-D7000A/B	1.2	7000	33.0	61.8
	H-D8000A/B	1.2	8000	33.0	61.8
	H-D9000A/B	1.2	9000	33.0	60.5
9V	H-8.4V 120	8.4	120	17.5(T)*26.5(W):*48.5(H)	
	H-8.4V 150	8.4	150	17.5(T)*26.5(W):*48.5(H)	
	H-8.4V 180	8.4	180	17.5(T)*26.5(W):*48.5(H)	
	H-8.4V 200	8.4	200	17.5(T)*26.5(W):*48.5(H)	
	H-8.4V 250(5A)	8.4	250	17.5(T)*26.5(W):*48.5(H)	

Size	Model No	Nominal Voltage (V)	Nominal Capacity (mAh)	Dimension with tube	
				Diameter (mm)	Height (mm)
SC	H-SC1000	1.2	1000	23.0	43.0
	H-SC1100	1.2	1100	23.0	43.0
	H-SC1200	1.2	1200	23.0	43.0
	H-SC1300	1.2	1300	23.0	43.0
	H-SC1400	1.2	1400	23.0	43.0
	H-SC1500	1.2	1500	23.0	43.0
	H-SC1600	1.2	1600	23.0	43.0
	H-SC1700P	1.2	1700	23.0	43.0
	H-SC1800P	1.2	1800	23.0	43.0
	H-SC1900P	1.2	1900	23.0	34.0
	H-SC2000P	1.2	2000	23.0	34.0
	H-SC2200P	1.2	2200	23.0	43.0
	H-SC2500P	1.2	2500	23.0	43.0
	H-SC3000P	1.2	3000	23.0	43.0
	H-SC3300P	1.2	3300	23.0	43.0
	H-SC3500P	1.2	3600	23.0	43.0
F	H-F13000	1.2	13000	33.0	67.0